


**REMARKS**

If the Examiner has any questions relating to the application, Applicant's attorney may be reached at (248) 647-6000.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version with Markings to Show Changes Made."

Respectfully submitted,



Douglas W. Sprinkle, Reg. No. 27,394  
Attorney for Applicant  
Gifford, Krass, Groh, Sprinkle,  
Anderson & Citkowski, P.C.  
280 N. Old Woodward Ave., Suite 400  
Birmingham, MI 48009-5394  
(248) 647-6000

Date: \_\_\_\_\_

5/11/01

DWS/gs

GS-C:\docs\DWS\MFA13302-pre.doc

09031676-090401

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

**IN THE CLAIMS:**

Claim 3 has been amended as follows:

- 1           3.       (Amended) An apparatus in accordance with claim 1 [or claim 2],  
2 characterized in that the coupling member (14) comprises an insertable portion (22)  
3 provided with an approximately part circular-like cut-out (26) which, in the inserted  
4 state, fills up the space between the slot opening (16) and the circular reception space  
5 for the data storage medium (12) in the flat housing (10) at least in part, preferably  
6 substantially in full.

Claim 4 has been amended as follows:

- 1           4.       (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that at least one of the narrow sides (28) of  
3 the flat housing (10) adjacent to the slot opening (16) is provided with projection-like  
4 latching means (36) for the coupling member (14).

Claim 5 has been amended as follows:

- 1           5.       (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that at least one connecting element which  
3 connects two halves of the flat housing (10) to one another is formed as latching  
4 means (36).

Claim 6 has been amended as follows:

09831676.090401  
TOP SECRET

1           6.       (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that at least one latching means of the  
3 coupling member (14) comprises at least one material web (32) which is elastically  
4 deformable, in particular by latching means (36) of the flat housing (10) and which  
5 bounds at least one cut-out (33) which is in particular in the shape of an elongate slot.

Claim 8 has been amended as follows:

1           8.       (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that the slot opening (16) of the flat  
3 housing (10) is at least substantially completely closed when the coupling member  
4 (14) is inserted.

Claim 9 has been amended as follows:

1           9.       (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that the coupling member (14) has at least  
3 one abutment edge which can be brought into abutment with at least one edge region  
4 bounding the slot opening (16) or with at least one abutment region formed in the flat  
5 housing (10) on insertion into the flat housing (10).

Claim 10 has been amended as follows:

1           10.      (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that the outer portion (24) of the coupling  
3 member (14) has at least one coupling element (30) via which the coupling member  
4 (14) can be connected, in particular releasably connected, to carriers (42), in particular

09331676-090401  
TOPD6-927286

5 in the form of flip covers, outer packagings, rod arrangements, hanging registers,  
6 storage racks, display units, storage containers, rail systems and/or plug systems.

Claim 11 has been amended as follows:

1 11. (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that the coupling member (14), in  
3 particular a coupling element (30) of the coupling member (14), is formed for the  
4 releasable connection to storage apparatuses for data storage media of the DVD type,  
5 in particular with fixing elements (50) arranged at narrow sides (44) of DVD boxes  
6 (42).

Claim 12 has been amended as follows:

1 12. (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that the outer portion of the coupling  
3 member (14) is connected in one piece to a carrier (42).

Claim 13 has been amended as follows:

1 13. (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that the coupling member (14) is a  
3 component of a folding packaging, in particular one consisting of cardboard or card.

Claim 14 has been amended as follows:

1 14. (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that the coupling member (14) – in the

09831676-090404

3 state connected to a carrier (42) – is pivotable with respect to the carrier (42) and is in  
4 particular biased relative to the carrier (42) in to an inserting and removing position  
5 which allows a simple coupling to the flat housing (10).

Claim 15 has been amended as follows:

1 15. (Amended) An apparatus in accordance with [at least one of the  
2 preceding claims] claim 1, characterized in that the coupling member (14) consists of  
3 a reusable material, in particular of plastic, preferably polypropylene, or of cardboard  
4 or card.

Claim 17 has been cancelled.

09831676-090401